

報告編號(No.): HTF22C00441

報告日期(DATE): 2022/12/26

頁數(PAGE): 1 of 9

鉅田潔淨技術股份有限公司(JU TIAN CLEANTECH CO., LTD.)

南投縣南投市文獻路2號 (NO.2, WENXIAN RD., NANTOU CITY, NANTOU COUNTY 54041, TAIWAN)

以下測試樣品係由申請廠商所提供及確認( the applicant as):	(The	following sample(s) was/were submitted and identified by/on behalf of
送樣廠商(Sample Submitted By)	:	鉅田潔淨技術股份有限公司(JU TIAN CLEANTECH CO., LTD.)
樣品名稱(Sample Description)	:	JCPFM© HOME SUGARCANE STRAW
原產國(Country of Origin) 	:	台灣 ( TAIWAN ) 
	:	2022/12/15
測試期間(Testing Period)	:	2022/12/15 to 2022/12/26
測試結果 (Test Results)	:	請見下一頁。(Please refer to next page(s).)

Singh Hsiao / Asst. Manage Signed for and on behalf SGS TAIWAN LTD. AIW Chemical Laboratory - Taipei

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



報告編號(No.): HTF22C00441

報告日期(DATE): 2022/12/26

頁數(PAGE): 2 of 9

鉅田潔淨技術股份有限公司(JU TIAN CLEANTECH CO., LTD.)

南投縣南投市文獻路2號 (NO.2, WENXIAN RD., NANTOU CITY, NANTOU COUNTY 54041, TAIWAN)

#### 測試部位敘述(Test Part Description)

No.1 : 棕色吸管 (BROWN STRAW)

#### 測試結果(Test Results)

測試項目 (Test Item(s))	測試方法 (Method)	單位 (Unit)	RL	結果 (Result) No.1
個別PFAS試驗 / Individual PFAS Test				
N-乙基全氟辛基磺醯胺乙醇 (N-Et-FOSE alcohol) / N-Ethyl- Perfluoroctanesulfonamidoethanol (N-Et- FOSE alcohol) ( CAS No.1691-99-2 )		mg/kg	0.01	n.d.
1H,1H,2H,2H-全氟癸磺酸 (8:2 FTS) / 1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS) ( CAS No.39108-34-4 )		mg/kg	0.01	n.d.
N-乙基全氟正辛磺醯胺 (EtFOSA) / N- ethylperfluoro-1-octanesulfonamide (EtFOSA) ( CAS No.4151-50-2 )		mg/kg	0.01	n.d.
N-甲基全氟辛基磺醯胺乙醇 (N-Me-FOSE alcohol) / N-Methyl- Perfluoroctanesulfonamidoethanol (N-Me- FOSE alcohol) ( CAS No.24448-09-7 )	參考CEN/TS 15968 (2010), 以液相層析串 聯質譜儀(LC/MS/MS)檢測。 / With reference to CEN/TS 15968 (2010). Analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.
N-甲基全氟正辛磺醯胺 (N-Me-FOSA) / N- Methyl-Perfluoroctanesulfonamide (N-Me- FOSA) ( CAS No.31506-32-8 )		mg/kg	0.01	n.d.
全氟己基磺酸及其鹽類 (PFHxS) / Perfluorohexane-1-sulphonic acid and its salts (PFHxS) ( CAS No.355-46-4 )		mg/kg	0.01	n.d.
全氟辛酸鉀 (PFOA-K ) / Potassium perfluorooctanoate (PFOA-K) ( CAS No.2395- 00-8 )		mg/kg	0.01 🛦	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



報告編號(No.): HTF22C00441

報告日期(DATE): 2022/12/26

頁數(PAGE): 3 of 9

鉅田潔淨技術股份有限公司(JU TIAN CLEANTECH CO., LTD.)

南投縣南投市文獻路2號 (NO.2, WENXIAN RD., NANTOU CITY, NANTOU COUNTY 54041, TAIWAN)

測試項目 (Test Item(s))	測試方法 (Method)	單位 (Unit)	RL	結果 (Result)
	(Method)	(Onit)		No.1
全氟辛基磺醯氟 (POSF) / Perfluorooctane sulfonyl fluoride (POSF) ( CAS No.307-35-7 )	$\sim$	mg/kg	0.01 🛦	n.d.
全氟辛基磺酸二癸二甲基銨 (PFOS-DDA) / N- decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctane-1-sulfonate (PFOS- DDA) ( CAS No.251099-16-8 )		mg/kg	0.01	n.d.
全氟辛酸銨 (APFO) / Ammonium pentadecafluorooctanoate (APFO) ( CAS No.3825-26-1 )		mg/kg	0.01 🛦	n.d.
全氟辛基磺酸鉀 (PFOS-K) / Potassium Perfluorooctanesulfonate (PFOS-K) ( CAS No.2795-39-3 )	參考CEN/TS 15968 (2010), 以液相層析串	mg/kg	0.01▲	n.d.
全氟辛基磺酸二乙醇銨 (PFOS-NH(OH)2) / Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH)2) ( CAS No.70225-14-8 )	聯質譜儀(LC/MS/MS)檢測 。/ With reference to CEN/TS 15968 (2010). Analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.
全氟辛基磺酸銨 (PFOS-NH4) / Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH4) ( CAS No.29081-56-9 )		mg/kg	0.01 🛦	n.d.
全氟辛酸及其鹽類 / PFOA and its salts ( CAS No.335-67-1 and its salts )		mg/kg	0.01	n.d.
全氟己基磺酸鈉 (PFHxS-Na) / Perfluorohexanesulfonate NA-salt (PFHxS- Na) ( CAS No.82382-12-5 )		mg/kg	0.01▲	n.d.
全氟辛基磺醯胺 (PFOSA) / Perfluoroctanesulfonamide (PFOSA)(CAS No.754-91-6)		mg/kg	0.01	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



報告編號(No.): HTF22C00441

報告日期(DATE): 2022/12/26

頁數(PAGE): 4 of 9

鉅田潔淨技術股份有限公司(JU TIAN CLEANTECH CO., LTD.)

南投縣南投市文獻路2號 (NO.2, WENXIAN RD., NANTOU CITY, NANTOU COUNTY 54041, TAIWAN)

			1.	
測試項目 (Test Item(s))	測試方法 (Method)	單位 (Unit)	RL	結果 (Result)
	(inctrica)	(Olint)		No.1
全氟辛酸銀 (PFOA-Ag ) / Silver perfluorooctanote (PFOA-Ag)(CAS No.335- 93-3)		mg/kg	0.01 🛦	n.d.
全氟辛基磺酸鋰 (PFOS-Li) / Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)(CAS No.29457-72-5)		mg/kg	0.01 🛦	n.d.
全氟辛基磺酸四乙基銨 (PFOS-N(C2H5)4) / Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS- N(C2H5)4) ( CAS No.56773-42-3 )		mg/kg	0.01	n.d.
全氟辛氟 (PFOA-F) / Perfluorooctanoyl fluoride (PFOA-F)(CAS No.335-66-0)		mg/kg	0.01	n.d.
全氟己基磺酸鉀 (PFHxS-K) / Perfluorohexanesulfonate K-salt (PFHxS-K)( CAS No.3871-99-6)	参考CEN/TS 15968 (2010), 以液相層析串 聯質譜儀(LC/MS/MS)檢測。 / With	mg/kg	0.01	n.d.
全氟辛烷磺酸及其鹽類 / PFOS and its salts( CAS No.1763-23-1 and its salts)	reference to CEN/TS 15968 (2010). Analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.
全氟辛酸鈉 (PFOA-Na)/ Sodium perfluorooctanoate (PFOA-Na)( CAS No.335-95-5)		mg/kg	0.01	n.d.
全氟癸基磺酸銨 (PFDS-NH4) / Perfluoroaliphatic Dean-sulfonate salt of NH4 (PFDS-NH4) ( CAS No.67906-42-7 )		mg/kg	0.01	n.d.
全氟十四烷酸 (PFTeA) / Perfluorotetradecanoic Acid (PFTeA) ( CAS No.376-06-7 )		mg/kg	0.01	n.d.
全氟丁基磺酸鉀 (PFBS-K ) / Perfluorobutane Sulfonate K-salt (PFBS-K ) ( CAS No.29420- 49-3 )		mg/kg	0.01	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



報告編號(No.): HTF22C00441

報告日期(DATE): 2022/12/26

頁數(PAGE): 5 of 9

鉅田潔淨技術股份有限公司(JU TIAN CLEANTECH CO., LTD.)

南投縣南投市文獻路2號 (NO.2, WENXIAN RD., NANTOU CITY, NANTOU COUNTY 54041, TAIWAN)

			1 · · · ·	
測試項目 (Test Item(s))	測試方法 (Method)	單位 (Unit)	RL	結果 (Result)
(1000.000)(0))	(	(0),		No.1
全氟丁酸 (PFBA) / Perfluorobutane Acid (PFBA) ( CAS No.375-22-4 )	$\sim$	mg/kg	0.01	n.d.
全氟庚基磺酸鈉 (PFHpS-Na) / Perfluoroheptanesulfonate Na-salt (PFHpS- Na)(CAS No.68555-66-8)		mg/kg	0.01	n.d.
全氟丁磺酸 (PFBS) / Perfluorobutane Sulfonate (PFBS) ( CAS No.375-73-5 )		mg/kg	0.01	n.d.
全氟-3,7-二甲基辛酸 (PF-3,7-DMOA) / Perfluoro-3,7-dimethyloctanoic Acid (PF-3,7- DMOA) ( CAS No.172155-07-6 )		mg/kg	0.01	n.d.
全氟癸烷磺酸鉀 (PFDS-K) / Perfluorodecanesulfonate K-salt (PFDS-K)( CAS No.2806-16-8)	參考CEN/TS 15968 (2010), 以液相層析串 聯質譜儀(LC/MS/MS)檢測。 / With reference to CEN/TS 15968 (2010). Analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.
全氟壬酸鈉 (PFNA-Na) / Perfluorononanoate NA-Salt (PFNA-Na) ( CAS No.21049-39-8 )		mg/kg	0.01	n.d.
全氟戊酸 (PFPA) / Perfluoropentane Acid (PFPA)(CAS No.2706-90-3)	Analysis was performed by Lo/Mo/Mo.	mg/kg	0.01	n.d.
全氟庚基磺酸 (PFHpS) / Perfluoroheptane Sulfonate (PFHpS) ( CAS No.375-92-8 )		mg/kg	0.01	n.d.
全氟癸酸銨 (APFDA) / Perfluorodecanoate ammonium salt (APFDA) ( CAS No.3108-42-7 )		mg/kg	0.01	n.d.
2H,2H,3H,3H-全氟癸酸(4HPFUnA) / 2H,2H,3H,3H-Perfluoroundecanoic Acid (4HPFUnA)(CAS No.34598-33-9)		mg/kg	0.01	n.d.
全氟十一烷酸 (PFUnA) / Perfluoroundecanoic Acid (PFUnA)(CAS No.2058-94-8)		mg/kg	0.01	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



報告編號(No.): HTF22C00441

報告日期(DATE): 2022/12/26

頁數(PAGE): 6 of 9

鉅田潔淨技術股份有限公司(JU TIAN CLEANTECH CO., LTD.)

南投縣南投市文獻路2號 (NO.2, WENXIAN RD., NANTOU CITY, NANTOU COUNTY 54041, TAIWAN)

			1.	
測試項目 (Test Item(s))	測試方法 (Method)	單位 (Unit)	RL	結果 (Result)
	(mothod)	(only)		No.1
全氟癸烷磺酸 (PFDS) / Perfluorodecane Sulfonate (PFDS) ( CAS No.126105-34-8/ 335-77-3 )		mg/kg	0.01	n.d.
全氟十三烷酸 (PFTrA) / Perfluorotridecanoic Acid (PFTrA) ( CAS No.72629-94-8 )		mg/kg	0.01	n.d.
7H-十二氟庚酸 (HPFHpA) / 7H- Dodecanefluoroheptane Acid (HPFHpA) ( CAS No.1546-95-8 )		mg/kg	0.01	n.d.
1H,1H,2H,2H-全氟辛磺酸 (H4PFOS 6:2) / 1H,1H,2H,2H-Perfluorooctanesulphonic Acid (H4PFOS 6:2) ( CAS No.27619-97-2 )	$\mathcal{A}$	mg/kg	0.01	n.d.
全氟十二烷酸 (PFDoA) / Perfluorododecanoic Acid (PFDoA) ( CAS No.307-55-1 )	参考CEN/TS 15968 (2010), 以液相層析串 聯質譜儀(LC/MS/MS)檢測。 / With	mg/kg	0.01	n.d.
全氟壬酸 (PFNA) / Perfluorononane Acid (PFNA)(CAS No.375-95-1)	reference to CEN/TS 15968 (2010). Analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.
全氟庚酸 (PFHpA) / Perfluoroheptane Acid (PFHpA) ( CAS No.375-85-9 )		mg/kg	0.01	n.d.
2H,2H-全氟癸酸 (H2PFDA) / 2H,2H- Perfluorodecane Acid (H2PFDA) ( CAS No.27854-31-5 )		mg/kg	0.01	n.d.
全氟癸酸 (PFDA) / Perfluorodecane Acid (PFDA) ( CAS No.335-76-2 )		mg/kg	0.01	n.d.
全氟壬酸銨 (APFN) / Perfluorononanoate ammounium salt (APFN) ( CAS No.4149-60-4 )		mg/kg	0.01▲	n.d.
全氟癸酸鈉 (PFDA-Na) / Perfluorodecanoate Na-salt (PFDA-Na) ( CAS No.3830-45-3 )		mg/kg	0.01 🛦	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



報告編號(No.): HTF22C00441

報告日期(DATE): 2022/12/26

頁數(PAGE): 7 of 9

鉅田潔淨技術股份有限公司(JU TIAN CLEANTECH CO., LTD.)

南投縣南投市文獻路2號 (NO.2, WENXIAN RD., NANTOU CITY, NANTOU COUNTY 54041, TAIWAN)

測試項目 (Test Item(s))	測試方法 (Method)	單位 (Unit)	RL	結果 (Result)
(1051 11011(5))	(method)	(Onit)		No.1
全氟癸烷磺酸鈉 (PFDS-Na) / Perfluorodecanesulfonate Na-salt (PFDS-Na) ( CAS No.2806-15-7 )	參考CEN/TS 15968 (2010), 以液相層析串 聯質譜儀(LC/MS/MS)檢測。 / With reference to CEN/TS 15968 (2010).	mg/kg	0.01 🛦	n.d.
全氟已酸 (PFHxA) / Perfluorohexane Acid (PFHxA) ( CAS No.307-24-4 )	Analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.
1H,1H,2H,2H-全氟-1-癸醇 (8:2 FTOH) / 1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH) ( CAS No.678-39-7 )		mg/kg	0.1	n.d.
全氟辛酸乙酯 (Et-PFOA) / Ethyl perfluorooctanoate (Et-PFOA) ( CAS No.3108- 24-5 )	$\Delta$	mg/kg	0.1	n.d.
1H,1H,2H,2H-全氟癸基丙烯酸酯 (8:2 FTA) / 1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA) ( CAS No.27905-45-9 )		mg/kg	0.1	n.d.
全氟辛基碘烷 (PFOI) / Perfluoro-1-iodooctane (PFOI) ( CAS No.507-63-1 )	參考CEN/TS 15968 (2010), 以氣相層析質	mg/kg	0.1	n.d.
全氟辛酸甲酯 (Me-PFOA) / Methyl perfluorooctanoate (Me-PFOA) ( CAS No.376- 27-2 )	譜儀(GC/MS)檢測。 / With reference to CEN/TS 15968 (2010). Analysis was performed by GC/MS.	mg/kg	0.1	n.d.
1H,1H,2H,2H-全氟癸基甲基丙烯酸鹽 (8:2 FTMA) / 1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA) ( CAS No.1996-88-9 )		mg/kg	0.1	n.d.
1H,1H,2H,2H-全氟十二烷基丙烯酸酯 (10:2 FTA) / 1H,1H,2H,2H-Perfluorododecylacrylate (10:2FTA) ( CAS No.17741-60-5 )		mg/kg	0.1	n.d.
1H,1H,2H,2H-全氟-1-己醇 (4:2 FTOH) / 1H,1H,2H,2H-Perfluoro-1-hexanol (4:2FTOH) ( CAS No.2043-47-2 )		mg/kg	0.1	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



報告編號(No.): HTF22C00441

報告日期(DATE): 2022/12/26

頁數(PAGE): 8 of 9

鉅田潔淨技術股份有限公司(JU TIAN CLEANTECH CO., LTD.)

南投縣南投市文獻路2號 (NO.2, WENXIAN RD., NANTOU CITY, NANTOU COUNTY 54041, TAIWAN)

測試項目 (Test Item(s))	測試方法 (Method)	單位 (Unit)	RL	結果 (Result) No.1
1H,1H,2H,2H-全氟-1-十二醇 (10:2 FTOH) / 1H,1H,2H,2H-Perfluoro-1-dodecanol (10:2FTOH) ( CAS No.865-86-1 )		mg/kg	0.1	n.d.
1H,1H,2H,2H-全氟-1-辛醇 (6:2 FTOH) / 1H,1H,2H,2H-Perfluoro-1-octanol (6:2FTOH)( CAS No.647-42-7)	參考CEN/TS 15968 (2010), 以氣相層析質 譜儀(GC/MS)檢測。 / With reference to CEN/TS 15968 (2010). Analysis was performed by GC/MS.	mg/kg	0.1	n.d.
1H,1H,2H,2H-全氟辛基丙烯酸酯 (6:2 FTA) / 1H,1H,2H,2H-Perfluorooctylacrylate (6:2FTA) ( CAS No.17527-29-6 )		mg/kg	0.1	n.d.

#### 備註(Note):

- 1. mg/kg = ppm ; 0.1% = 1000 ppm
- 2. RL = Reporting Limit (報告極限值)
- 3. n.d. = Not Detected (未檢出) = Less than (小於) RL
- 4. 本報告不得分離或擷錄使用。(The report is invalid if it is partly reproduced or used.)
- 5. 全氟辛烷磺酸及其鹽類包含CAS No.:29081-56-9, 2795-39-3, 29457-72-5, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7. (PFOS and its salts : CAS No.:29081-56-9, 2795-39-3, 29457-72-5, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7.)
- 6. 全氟辛酸及其鹽類包含CAS No.3825-26-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0. (PFOA and its salts: CAS No.3825-26-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0.)
- 7. ▲: 測試結果是以其相關化合物之濃度計算最嚴苛情境下之含量。(The test result was calculated by the concentration of its related compound and to the worst-case scenario.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



報告編號(No.): HTF22C00441

報告日期(DATE): 2022/12/26

頁數(PAGE): 9 of 9

鉅田潔淨技術股份有限公司(JU TIAN CLEANTECH CO., LTD.)

南投縣南投市文獻路2號 (NO.2, WENXIAN RD., NANTOU CITY, NANTOU COUNTY 54041, TAIWAN)

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位。 \* (The tested sample / part is marked by an arrow if it's shown on the photo.)



\*\* 報告結尾 (End of Report) \*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.